TUSCANY

ALABASTER BOWL FAMILY

Inspired by a beautifully proportioned circa 1916 American original, the Tuscany Alabaster Family of light fixtures is suitable for lighting a wide variety of interior decors. Discover the natural translucence and unique beauty of authentic alabaster stone.





AL-2024-AA



ALABASTER BOWL FAMILY

See our new classics online for more info.

MOUNTS



Multi-Stem



Single-Stem



Ornate Multi-Stem



Ornate Single-Stem



versions also available.


Cable mount























UL listed. Durably constructed from solid brass and real alabaster stone. Made in USA by Brass Light Gallery.

See our new classics online for more info.



12" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2012-AA

Candelabra base screw-in sockets (3) each accept 40 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 9".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





12" DIAM, SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel

AL-2012-AB

Candelabra base screw-in sockets (2) each accept 60 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 9".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





12" DIAM, ORNATE SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel

AL-2012-AD

Candelabra base screw-in sockets (2) each accept 60 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 9".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





12" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2012-AQ

Candelabra base screw-in sockets (3) each accept 40 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 9".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






16" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2016-AA

Candelabra base screw-in sockets (3) each accept 60 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 10".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





16" DIAM, SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2016-AB

Medium base screw-in sockets (2) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 10".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





16" DIAM, ORNATE SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2016-AD

Medium base screw-in sockets (2) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 10".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






16" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2016-AQ

Candelabra base screw-in sockets (3) each accept 60 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 10".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2019-AA

Medium base screw-in sockets (3) each accept 75 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2019-AB

Medium base screw-in sockets (2) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, ORNATE SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2019-AD

Medium base screw-in sockets (2) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2019-AQ

Medium base screw-in sockets (3) each accept 75 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





19" DIAM, CHAIN NO. 4





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Satin Ant. Brass Verdigris Patina

AL-2019-AW

Medium base screw-in sockets (3) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






24" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2024-AA

Medium base screw-in sockets (4) each accept 100 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






24" DIAM, SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2024-AB

Medium base screw-in sockets (4) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






24" DIAM, ORNATE SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2024-AD

Medium base screw-in sockets (4) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






24" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2024-AQ

Medium base screw-in sockets (4) each accept 100 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





30" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2030-AA

Medium base screw-in sockets (4) each accept 100 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





30" DIAM, SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2030-AB

Medium base screw-in sockets (4) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





30" DIAM, ORNATE SINGLE-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2030-AD

Medium base screw-in sockets (4) each accept 75 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Center mount to junction box.

Specify overall length. Minimum overall length 12".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





30" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2030-AQ

Medium base screw-in sockets (4) each accept 100 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





TUSCANY

ALABASTER BOWL FAMILY

Version History		
v1.1	12-8-2011	First published. 21 pages.
v1.2	12-14-2011	Added stem break graphic on all product but cable. 21 pgs.
v1.3	12-20-2011	Added cover with photo as pg 1, added Mount/Size as pg 2, minor styling changes. Added this v history. Product pages had page number increase by 2. 24 pgs.
v1.4	02-21-12	corrected title on cover - removed "with band". Revised bookmarks - changed 'summary' to 'cover'.